





As a leader in innovation and Australia's premier promoter of Tailor Made LED Lighting Solutions, Azoogi provides an extended range of high-quality LED luminaires and LED strips cleverly supported by dedicated smart lighting management systems all with 5 years warranty.


We aim to provide the best quality product and service in the areas of offices, education, presentation & retail, hotel & wellness, health & art & culture.

Azoogi, a Lighting Consultation Team ready to welcome you...

... to the Future!

Contents

- 2. Low Power
- 4. Med Power
- 6. High Power
- 8. Ultra High Power
- 12. Mini strip & Profile
- 15. 20m Long-run
- 16. RGB
- 18. RGB & Tunable White
- 20. Neon Flexible Strip
- 22. Smart Control Systems
- 24. LED Drivers
- 26. Linear Pendant LED
- 28. Aluminium Profiles



Strip 4.8W (Low Power)

- ✓ Can be cut to length
- ✓ High effciency SMD LED chips
- ✓ 3M tape backing
- ✓ Easy installation
- ✓ Ideal for decorative applications
- ✓ 5 years warranty











Available in

12V

RECOMMENDED DRIVER


	Driver	
1-3 meter	ADR001	20W 12V
4-5 meter	ADR003	40W 12V
6-7 meter	ADR005	60W 12V

24V

RECOMMENDED DRIVER

	Item Code	Driver
1-3 meter	ADR002	20W 24V
4-7 meter	ADR004	40W 24V
8-10 meter	ADR006	60W 24V

- 5 Year Warranty On All Products
- @ Email Enquiries: sales@azoogi.com
- Contact Us Today: (02) 9695 7882



Low Wattage ... High Visual Comfort. Antiglare application also for the most sensitive eyes. Closets, Kitchen Benches, Pantries, Wardrobes ... "Your food & belongings soaked in the harmony and peace of our Low Wattage Strip." -Francesco Franco



IP 33

12V DC 60 LEDs/m



LED TYPE: 3528

Item Code	STR001	STR003	STR005	STR007
CCT/Color	2700K	3000K	4000K	6000K
Cutting Unit	50mm (3 LED)	50mm (3 LED)	50mm (3 LED)	50mm (3 LED)
Size	5000x8x1.8mm	5000x8x1.8mm	5000x8x1.8mm	5000x8x1.8mm
IP Rating	IP33	IP33	IP33	IP33
Lumen Flux	330lm	330lm	360lm	370lm

IP 65

12V DC 60 LEDs/m



LED TYPE: 3528

Item Code	STR011	STR013	STR015	STR017
CCT/Color	2700K	3000K	4000K	6000K
Cutting Unit	50mm (3 LED)	50mm (3 LED)	50mm (3 LED)	50mm (3 LED)
Size	5000x8x1.8mm	5000x8x1.8mm	5000x8x1.8mm	5000x8x1.8mm
IP Rating	IP65	IP65	IP65	IP65
Lumen Flux	330lm	330lm	360lm	370lm

IP 33

24V DC 60 LEDs/m





J : J =

LED TYPE: 3528

Item Code	STR002	STR004	STR006	STR008
CCT/Color	2700K	3000K	4000K	6000K
Cutting Unit	100mm (6 LED)	100mm (6 LED)	100mm (6 LED)	100mm (6 LED)
Size	5000x8x1.8mm	5000x8x1.8mm	5000x8x1.8mm	5000x8x1.8mm
IP Rating	IP33	IP33	IP33	IP33
Lumen Flux	340lm	340lm	370lm	380lm

IP 65

24V DC 60 LEDs/m



DC LEDs/m

Item Code	STR012	STR014	STR016	STR018
CCT/Color	2700K	3000K	4000K	6000K
Cutting Unit	100mm (6 LED)	100mm (6 LED)	100mm (6 LED)	100mm (6 LED)
Size	5000x8x1.8mm	5000x8x1.8mm	5000x8x1.8mm	5000x8x1.8mm
IP Rating	IP65	IP65	IP65	IP65
Lumen Flux	340lm	340lm	370lm	380lm 3

AZ 8 LED LIGHTINGS

LED Strip 9.6W (Med power)

- ✓ Can be cut to length
- ✓ High efficiency SMD LED chips
- ✓ 3M tape backing
- ✓ Easy installation
- ✓ Ideal for decorative applications
- ✓ 5 years warranty









Available in

RECOMMENDED DRIVER

	Item Code	Driver
1-3 meter	ADR003	40W 12V
4-5 meter	ADR005	60W 12V
6-7 meter	ADR007	100W 12V

24V

12V

RECOMMENDED DRIVER

	Item Code	Driver
1-3 meter	ADR004	40W 24V
4-5 meter	ADR006	60W 24V
6-10meter	ADR008	100W 24V

- ✓ 5 Year Warranty
 On All Products
- @ Email Enquiries: sales@azoogi.com
- Contact Us Today: (02) 9695 7882



Versatility.
Our Medium Power Strip is at the service of those users who need a flexible strip suited to multiple applications.

Up to 720lm per meter powered by 120 LEDs per meter, this strip is perfect for both direct or Indirect illumination, from your cosy bathroom to your classy living room.



IP 33

LED TYPE: 3528

12V DC 120 LEDs/m



Item Code	STR019	STR021	STR023	STR025
CCT/Color	2700K	3000K	4000K	6000K
Cutting Unit	25mm (3 LED)	25mm (3 LED)	25mm (3 LED)	25mm (3 LED)
Size	5000x8x1.8mm	5000x8x1.8mm	5000x8x1.8mm	5000x8x1.8mm
IP Rating	IP33	IP33	IP33	IP33
Lumen Flux	595lm	615lm	655lm	675lm

IP 65

LED TYPE: 3528

12V DC 120 LEDs/m



Item Code	STR027	STR029	STR031	STR033
CCT/Color	2700K	3000K	4000K	6000K
Cutting Unit	25mm (3 LED)	25mm (3 LED)	25mm (3 LED)	25mm (3 LED)
Size	5000x8x1.8mm	5000x8x1.8mm	5000x8x1.8mm	5000x8x1.8mm
IP Rating	IP65	IP65	IP65	IP65
Lumen Flux	595lm	615lm	655lm	675lm

IP 33

24V DC 120 LEDs/m



LED TYPE: 3528

LLD III L. 0020	<i>*</i> ····································		*	***************************************
Item Code	STR020	STR022	STR024	STR026
CCT/Color	2700K	3000K	4000K	6000K
Cutting Unit	50mm (6 LED)	50mm (6 LED)	50mm (6 LED)	50mm (6 LED)
Size	5000x8x1.8mm	5000x8x1.8mm	5000x8x1.8mm	5000x8x1.8mm
IP Rating	IP33	IP33	IP33	IP33
Lumen Flux	635lm	655lm	695lm	715lm

IP 65

24V DC 120 LEDs/m



LED TYPE: 3528

Item Code	STR028	STR030	STR032	STR034
CCT/Color	2700K	3000K	4000K	6000K
Cutting Unit	50mm (6 LED)	50mm (6 LED)	50mm (6 LED)	50mm (6 LED)
Size	5000x8x1.8mm	5000x8x1.8mm	5000x8x1.8mm	5000x8x1.8mm
IP Rating	IP65	IP65	IP65	IP65
Lumen Flux	635lm	655lm	695lm	715lm 5

AZ SI

LED Strip I 4.4W (High Power)

- ✓ Can be cut to length
- ✓ High effciency SMD LED chips
- ✓ 3M tape backing
- ✓ Easy installation
- ✓ Ideal for decorative applications
- ✓ 5 years warranty











Available in 12V

RECOMMENDED DRIVER

	Item Code	Driver
1-3 meter	ADR005	60W 12V
4-6 meter	ADR007	100W 12V
7 meter	ADR009	150W 12V

24V

RECOMMENDED DRIVER

	Item Code	Driver
1-3 meter	ADR004	40W 24V
4-6 meter	ADR008	100W 24V
6-10 meter	ADR010	150W 24V

- ✓ 5 Year Warranty
 On All Products
- @ Email Enquiries: sales@azoogi.com
- Contact Us Today: (02) 9695 7882



The High Power Strips
Family will light up your
life. With a CRI of 90+,
Super performant Mac
Adam Index 2 and High
Lumen Output (up to
1090lm/m). The most
popular strip among our
wide range perfectly
suitable for bulkheads,
outdoor, high ceiling
applications.
"Brightness has never been

"Brightness has never been so gentle."

- Ariel Avner



IP 33

LED TYPE: 5050

12V DC 60 LEDs/m



Item Code	STR035	STR037	STR039	STR041
CCT/Color	2700K	3000K	4000K	6000K
Cutting Unit	50mm (3 LED)	50mm (3 LED)	50mm (3 LED)	50mm (3 LED)
Size	5000x10x2.1mm	5000x10x2.1mm	5000x10x2.1mm	5000x10x2.1mm
IP Rating	IP33	IP33	IP33	IP33
Lumen Flux	910lm	930lm	1010lm	1030lm

IP 65

LED TYPE: 5050

12V DC 60 LEDs/m



Item Code	STR043	STR045	STR047	STR049
CCT/Color	2700K	3000K	4000K	6000K
Cutting Unit	50mm (3 LED)	50mm (3 LED)	50mm (3 LED)	50mm (3 LED)
Size	5000x10x2.1mm	5000x10x2.1mm	5000x10x2.1mm	5000x10x2.1mm
IP Rating	IP65	IP65	IP65	IP65
Lumen Flux	910lm	930lm	1010lm	1030lm

IP 33

LED TYPE: 5050

24V DC 60 LEDs/m



Item Code	STR036	STR038	STR040	STR042
CCT/Color	2700K	3000K	4000K	6000K
Cutting Unit	100mm (6 LED)	100mm (6 LED)	100mm (6 LED)	100mm (6 LED)
Size	5000x10x2.1mm	5000x10x2.1mm	5000x10x2.1mm	5000x10x2.1mm
IP Rating	IP33	IP33	IP33	IP33
Lumen Flux	950lm	970lm	1070lm	1090lm

IP 65

LED TYPE: 5050

24V 60 LEDs/m

Item Code	STR044	STR046	STR048	STR050
CCT/Color	2700K	3000K	4000K	6000K
Cutting Unit	100mm (6 LED)	100mm (6 LED)	100mm (6 LED)	100mm (6 LED)
Size	5000x10x2.1mm	5000x10x2.1mm	5000x10x2.1mm	5000x10x2.1mm
IP Rating	IP65	IP65	IP65	IP65
Lumen Flux	950lm	970lm	1070lm	^{1090lm} 7

LED Strip 19.2W (Ultra high power)

- ✓ Can be cut to length
- ✓ High effciency SMD LED chips
- ✓ 3M tape backing
- ✓ Easy installation
- ✓ Ideal for decorative applications
- ✓ 5 years warranty











Available in

24V

RECOMMENDED DRIVER

	Item Code	Driver
1 meter	ADR002	20W 24V
3 meter	ADR006	60W 24V
5 meter	ADR008	100W 24V
10 meter	ADR012	200W 24V

- 5 Year Warranty On All Products
- @ Email Enquiries: sales@azoogi.com
- Contact Us Today: (02) 9695 7882



Power is nothing without control. Despite the high wattage and lumen output up to 1400lm per meter we can guarantee a unique, smooth dotless effect, in our high end profiles with diffuser. At any condition, in any application, the 240LED per meter will pamper your eyes and impress.



IP 33

24V DC 240 LEDs/m

10m





LED TYPE: 3528

Item Code	STR051	STR052	STR053	STR054
CCT/Color	2700K	3000K	4000K	6000K
Cutting Unit	25mm (6 LED)	25mm (6 LED)	25mm (6 LED)	25mm (6 LED)
Size	5000x10x1.8mm	5000x10x1.8mm	5000x10x1.8mm	5000x10x1.8mm
IP Rating	IP33	IP33	IP33	IP33
Lumen Flux	1190lm	1290lm	1340lm	1390lm

IP 65

24V DC

240 LEDs/m 10mm ⊢-W--i



LED TYPE: 3528

Item Code	STR055	STR056	STR057	STR058
CCT/Color	2700K	3000K	4000K	6000K
Cutting Unit	25mm (6 LED)	25mm (6 LED)	25mm (6 LED)	25mm (6 LED)
Size	5000x10x1.8mm	5000x10x1.8mm	5000x10x1.8mm	5000x10x1.8mm
IP Rating	IP65	IP65	IP65	IP65
Lumen Flux	1190lm	1290lm	1340lm	1390lm



- 5 Year WarrantyOn All Products
- @ Email Enquiries: sales@azoogi.com
- Contact Us Today: (02) 9695 7882

LED Strip 29W (Ultra high power +)

- ✓ Can be cut to length
- ✓ High effciency SMD LED chips
- ✓ 3M tape backing
- ✓ Easy installation
- ✓ Ideal for decorative applications
- ✓ 5 years warranty











Available in

24V


RECOMMENDED DRIVER

	Item Code	Driver
1 meter	ADR004	40W 24V
3 meter	ADR010	100W 24V
5 meter	ADR012	200W 24V
10 meter	DR016	320W 24V

- 5 Year Warranty On All Products
- @ Email Enquiries: sales@azoogi.com
- Contact Us Today: (02) 9695 7882



The Ultra Plus is the new dimension of the Azoogi Strip Family. Featuring 29W/m of pure power, with a unique average lumen efficacy of 140lm/W without any compromise. Along with its incredible brightness in any aluminum profile, the Ultra Plus strip also conserves the dotless effect which makes it a high end architectural product. Where in the past two strips were essential for creating this effect, now, all you need is just one Ultra Plus line.



NEW STRIP

With over 3000 Lumen per metre with high efficiency of more than 140 lumen per Watt

IP 33

LED TYPE: 2835



Item Code	STR072	STR073	STR074	STR075
CCT/Color	2700K	3000K	4000K	6000K
Cutting Unit	41.67mm (8 LED)	41.67mm (8 LED)	41.67mm (8 LED)	41.67mm (8 LED)
Size	5000x12x1.8mm	5000x12x1.8mm	5000x12x1.8mm	5000x12x1.8mm
IP Rating	IP33	IP33	IP33	IP33
Lumen Flux	3374m	3552lm	3700lm	3810lm



- ✓ 5 Year Warranty
 On All Products
- @ Email Enquiries: sales@azoogi.com
- Contact Us Today: (02) 9695 7882



Mini Profile & LED Strip 9.6W **Features** ✓ High efficiency SMD LED chips Can be cut to length ✓ 3M tape backing ✓ Fast and easy installation ✓ Ideal for minimalist decorative applications Dot less in profile!

Available in

12V

RECOMMENDED DRIVER

	Item Code	
1-3 meter	ADR003	40W 12V
4-5 meter	ADR005	60W 12V
6-7 meter	ADR007	100W 12V

24V

RECOMMENDED DRIVER

	Item Code	Driver
1-3 meter	ADR004	40W 24V
4-5 meter	ADR006	60W 24V
6-10meter	ADR008	100W 24V

IP 33 LED TYPE: 3528











LLD III L. GOLG	=2		
Item Code	STR061	STR063	STR062
CCT/Color	3000K	4000K	6000K
Cutting Unit	25mm (3 LED)	25mm (3 LED)	25mm (3 LED)
Size	5000x5x1.8mm	5000x5x1.8mm	5000x5x1.8mm
IP Rating	IP33	IP33	IP33
Lumen Flux	615lm	650lm	675lm

Item Code	PROM
Dimension	7.6 x 9mm
Finish	Aluminium Profile with PMMA opal <mark>cov</mark> er

IP 33










4m	m
⊢-W	′ →

LED TYPE: 3528			
ltem Code	STR064	STR065	STR066
CCT/Color	3000K	4000K	6000K
Cutting Unit	50mm (6 LED)	50mm (6 LED)	50mm (6 LED)
Size	5000x4x1.8mm	5000x4x1.8mm	5000x4x1.8mm
IP Rating	IP33	IP33	IP33
Lumen Flux	625lm	660lm	685lm





5 Year Warranty

On All Products












Mini Strip, Major Versatility.

The 9.6W Mini strip and accompanying profile are custom designed to place light in the tightest of spaces. Our mini strip and profile are extremely popular for their reliability & endless applications. A true dot less strip!

"Minimalism at it's finest."
- Dimi Gotsis





Here at Azoogi, progress is everything to us.
Voltage drop is a real concern in modern applications. Being able to provide a strip that runs brighter, better and longer for our customers is a big deal to us.

Which is why we'd like to introduce the 20m Long Run LED Strip. The strip has been custom designed, available in IP rated and non IP rated strip. While this strip can run up to 20m on one driver, custom cuts and sizes are still available.



20m Long Run 7 Watt -IP67 Strip

Features

- Long run 20m roll only 1 driver required
- ✓ High efficiency SMD LED chips
- ✓ Can be cut to length
- 20M long strip driven by one end power supply
- ✓ 3M tape backing
- ✓ Fast and easy installation
- ✓ Ideal for decorative applications
















Item Code	STR110	STR112	STR113
Power	7W	7W	7W
Input Voltage	AC240V	AC240V	AC240V
Cutting Unit	100mm (6 LED)	100mm (6 LED)	100mm (6 LED)
Colour Temperature	3000K	4000K	6000K
Lumen Flux	615lm/m	630 lm/m	675 lm/m
Size	20000x12x2mm	20000x12x2mm	20000x12x2mm
Dimmable	Yes	Yes	Yes
Fitting Colour	WHITE	WHITE	WHITE
Item Code	STR115	STR116	STR117
Power	7W	7W	7W
Input Voltage	AC240V	AC240V	AC240V
Cutting Unit	100mm (6 LED)	100mm (6 LED)	100mm (6 LED)
Colour Temperature	3000K	4000K	6000K
Lumen Flux	615lm/m	630 lm/m	675 lm/m
Size	20000x12x2mm	20000x12x2mm	20000x12x2mm
Dimmable	Yes	Yes	Yes

Welcome to the RGB revolution

✓ 5 Year Warranty
On All Products

LED Strip 7.2 Watt 12V RGB

- ✓ High effciency SMD LED chips
- ✓ Easy installation
- ✓ Can be cut to length
- ✓ 3M tape backing
- ✓ Fast and easy installation
- ✓ Ideal for decorative applications
- ✓ 5 years warranty














IP 65	12V	30
LED TYPE: 5050	DC	LEDs/m

Item Code	STR060
CCT/Color	RGB
Cutting Unit	100mm (3 LED)
Size	5000x10x1.8mm
IP Rating	IP65

RGB Strip is the perfect feature lighting product for showing off your interior in a variety of new and exciting ways. All of our strip is designed to pair with our smart control systems.

RECOMMENDED DRIVER

	Item Code	Driver
1-2 meter	ADR001	20W 12V
3-5 meter	ADR003	40W 12V
6-7 meter	ADR005	60W 12V

Item Code	Driver
AREC001	RECEIVER 108W-216W (12V/24V)
AREC002	RECEIVER 240W-480W (12V/24V)
ACNT002	RGB REMOTE CONTROL



Our Smart Control Systems
use state of the art RF
technology superior to
Bluetooth for detection
range and flexibilty. Azoogi
is proud to be pushing the
envelope with their RGB user
compatibility.

IP 33	24V	60
LED TYPE: 5050	DC	LEDs/m

Item Code	STR201
CCT/Color	RGB
Cutting Unit	100mm (6 LED)
Size	5000x10x2mm
IP Rating	IP33

RECOMMENDED DRIVER

	Item Code	Driver
1-2 meter	ADR004	40W 24V
3-6 meter	ADR008	100W 24V
7-10 meter	ADR010	150W 24V

Item Code	Smart Controller
AREC001	RECEIVER 108W-216W (12V/24V)
AREC002	RECEIVER 240W-480W (12V/24V)
ACNT002	RGB REMOTE CONTROL

LED Strip 19.2 Watt 24V RGB + Tunable White

- ✓ High effciency SMD LED chips
- ✓ Easy installation
- ✓ Can be cut to length
- ✓ 3M tape backing
- ✓ Fast and easy installation
- ✓ Ideal for decorative applications
- ✓ 5 years warranty













Need an LED strip that can do everything? Our Azoogi RGBW is already vintage. RGB + Tunable white opens you up to infinite shades, pastel colours, and every degree of white!


Item Code	STR202		
CCT/Color	RGB + CCT (2700K - 6000K)		
Cutting Unit	100mm (6 LED)		
Size	5000x12x1.5mm		
IP Rating	IP33		


RECOMMENDED DRIVER

	Item Code	Driver
1-2 meter	ADR004	40W 24V
3-5 meter	ADR008	100W 24V
6-10 meter	ADR012	200W 24V

Item Code	Smart Controller	
AREC003	RECEIVER RGB-CCT 240W-480W (12V/24V)	
ACNT004	REMOTE CONTROL RGB+CCT	

- ✓ 5 Year Warranty
 On All Products
- @ Email Enquiries: sales@azoogi.com
- Contact Us Today: (02) 9695 7882







Tunable White strip is the right answer for those who truly want experience the maximum visual comfort & variety that our strip range has to offer.

"Light as Wellness." -Eli Zohar

LED Strip 19.2 Watt 24V Tunable White

- ✓ High effciency SMD LED chips
- ✓ Easy installation
- ✓ Can be cut to length
- ✓ 3M tape backing
- ✓ Fast and easy installation
- ✓ Ideal for decorative applications
- ✓ 5 years warranty









Item Code	STR203
CCT/Color	2700-6000K
Cutting Unit	100mm (14 LED)
Size	5000x10x1.5mm
IP Rating	IP33
Lumen Output	1730-1910

RECOMMENDED DRIVER

Item Code		Driver	
1-2 meter	ADR004	40W 24V	
3-5 meter	ADR008	100W 24V	
6-10 meter	ADR012	200W 24V	

Item Code	Smart Controller	
AREC001	RECEIVER 108W-216W (12V/24V)	
AREC002	RECEIVER 240W-480W (12V/24V)	
ACNT003	REMOTE CONTROL TUNABLE WHITE	

- ✓ 5 Year Warranty
 On All Products
- @ Email Enquiries: sales@azoogi.com
- Contact Us Today: (02) 9695 7882



LED Neon Flexible Strip Lighting

I. No Profile

Our LED Neon flexible strip is IP 67, powerful, and capable of being installed anywhere without the assistance of aluminum profile or 3m tape backing.

2. Flexibility

The LED Neon strip is capable of being installed in some of the more 'abstract' positions.
Almost any shape is fine for this strip.

3. Uninterrupted Light


Since there is no profile for this strip, it's diffuser is built in. Creating a perfectly seamless line of light. No dots, no problems!













Item Code	STR105	STR108
Power	12W	12W
Input Voltage	AC240V	AC240V
Beam Angle	Side View	Top View
Cutting Unit	50mm (6 LED)	50mm (6 LED)
Colour Temperature	RGB	R B
Lumen Flux	615lm/m	630 lm/m
Dimmable	Yes	Yes
Dimensions	5000*12*17	5000*13*12

AZ SI

Smart Control Systems

1. RF > Bluetooth

For those that are familiar with the struggle of finding the perfect angle between their controller and receiver, this is the solution you have been waiting for.

2. Reliability

Where bluetooth struggles to provide a user friendly experience, RF technology allows the user to control their strip with no discomfort. The controllers are made of quality materials and come with a 3 year warranty.

3. Range

We have created the most dynamic range of controllers on the market. Anything from a controller that strictly dims, to a controller that dims, changes colour, colour temperature, pre set colour modes and switchable colours built in. We have also welcomed a DMX compatible receiver to the Azoogi family. Allowing our range to extend with no limits as the industry does as well.

"Higher quality products mean higher quality of life!"
-Riley Holt

ACNTOO1 - LED DIMMABLE RF REMOTE CONTROL



Compatible Receivers




FEATURES

- USER FRIENDLY DIMMING SYSTEM
- ✓ UPTO 40M REMOTE DISTANCE
- ✓ COMES WITH REMOTE HOLDER
- SCENE MODES AVAILABLE
- 3 YEAR WARRANTY
- J 12V/24V
- INCREDIBLE PRICE!
- ✓ No Wiring, No Pots!

ACNTOO2 - LED RGB & DIMMABLE RF REMOTE CONTROL



Compatible Receivers



FEATURES

- USER FRIENDLY TOUCH COLOUR SYSTEM
- **●** UP TO 40M REMOTE DISTANCE
- J STATIC & DYNAMIC MODES AVAILABLE
- CHANGE MODES IN SEQUENCE
- 3 YEAR WARRANTY
- J 12V/24V
- No wiring, no pots!

ACNTOO3 - LED CCT & DIMMABLE RF REMOTE CONTROL



Compatible Receivers



FEATURES

- ✓ 2700K 6000K TUNABLE WHITE
- ✓ Up to 40m Remote Distance
- ✓ USER FRIENDLY TOUCH DIMMING SYSTEN
- ✓ SMOOTH TRANSITION OPTIONS
- 3 YEAR WARRANTY
- 12V/24V
- No wiring, no pots!

ACNTO04 - LED CCT/RGB/DIMMABLE RF REMOTE CONTROL



Compatible Recievers



FEATURES

- √ 2700K 6000K TUNABLE WHITE
- ✓ UP TO 40M REMOTE DISTANCE
- ✓ INTUITIVE TOUCH DIMMING SYSTEM
- SMOOTH TRANSITION OPTIONS
- 3 YEAR WARRANTY
- . 12V/24V
- ... INCREDIBLE PRICE!



Azoogi 5 in I Dimmable Driver

- ✓ Constant Voltage
- ✓ 12V/24V available
- ✓ Easy installation
- ✓ Waterproof (IP67)
- ✓ 5 years warranty

Supported Protocols

- ✓ Triac
- ✓ 0-10V
- ✓ 1-10V
- ✓ 10V PWM
- ✓ Potentiometer

Available in:

60W



11 G I	4 D D O O F D		
Item Code	ADR005D	ADR006D	
Power	60W	60W	
Output Voltage	12V DC	24V DC	
Input Voltage	200-240V	200-240V	
Size	300x30x23mm	300x30x23mm	
IP Rating	IP67	IP67	
PF	0.95	0.95	
Efficiency	83%	85%	

100W



		*	
Item Code	ADR007D	ADR008D	
Power	100W	100W	
Output Voltage	12V DC	24V DC	
Input Voltage	200-240V	200-240V	
Size	330x30x23mm	330x30x23mm	
IP Rating	IP67	IP67	
PF	0.95	0.95	
Efficiency	85%	86%	














Azoogi Nondimmable Drivers

- ✓ Constant Voltage
- ✓ 12V/24V available
- ✓ Easy installation
- ✓ Waterproof (IP67)
- 5 years warranty











Item Code	ADR001	ADR002	ADR003	ADR004
Power	20W	20W	40W	40W
Output Voltage	12V DC	24V DC	12V DC	24V DC
Input Voltage	170-264V	170-264V	170-264V	170-264V
Size	176x30x20mm	176x30x20mm	246x34x26mm	246x34x26mm
IP Rating	IP67	IP67	IP67	IP67
PF	0.6	0.6	0.6	0.6
Efficiency	85%	85%	85%	85%

Item Code	ADR005	ADR006	ADR007	ADR008
Power	60W	60W	100W	100W
Output Voltage	12V DC	24V DC	12V DC	24V DC
Input Voltage	170-264V	170-264V	170-264V	170-264V
Size	155x68.5x40mm	155x68.5x40mm	190x68.5x40mm	190x68.5x40mm
IP Rating	IP67	IP67	IP67	IP67
PF	0.6	0.6	0.6	0.6
Efficiency	85%	85%	85%	85%

Item Code	ADR009	ADR010	ADR011	ADR012
Power	150W	150W	200W	200W
Output Voltage	12V DC	24V DC	12V DC	24V DC
Input Voltage	170-264V	170-264V	170-264V	170-264V
Size	199x64x45mm	199x64x45mm	236x64x45mm	236x64x45mm
IP Rating	IP67	IP67	IP67	IP67
PF	0.6	0.6	0.6	0.6
Efficiency	85%	85%	85%	85%

Introducing

AZ®8

LED Pendant Lights



Profile Specs

Item Code	PR126 Harmony
Material	Anodised Aluminium black powder coated
Diffuser	Opal
Standard Length	Up to 3m
6 Application	Pendant or Surface Mounted

Item Code	PR127 Concord
Material	Anodised Aluminium black powder coated
Diffuser	Opal
Standard Length	Up to 3m
Application	Pendan <mark>t or S</mark> urface Mounted





The Harmony and Concord are our fully customisable Linear LED lights. Available as a pendant or surfaced fashion. These LEDs are available in any colour temperature, RGB, Tunable White, Dimmable. Tongue and groove connectors allow you to go as long as you like, wherever you like, in any shape you like.










Surfaced Profile



- Mounting clips included
- ✓ End pieces included
- ✓ Up to 3m customizable lengths
- ✓ Easy installation
- ✓ 3 years warranty
- ✓ Easy install PMMA diffuser





- ✓ Mounting clips included
- ✓ End pieces included
- ✓ Up to 3m customizable lengths
- ✓ Easy installation
- ✓ 3 years warranty
- ✓ Easy install PMMA diffuser

The Azoogi LED Profile range comes with a 3 year warranty, and are sourced from the best distributors world wide. We promise excellent performance as well as technical support every step of the way. Our diffusers are made of PMMA materials and are available in Opaque or Translucent diffusers.

Aluminium Profiles

Recessed Profile



- Mounting clips included
- ✓ End pieces included
- ✓ Up to 3m customizable lengths
- ✓ Easy installation
- √ 3 years warranty
- ✓ Easy install PMMA diffuser
- ✓ Our best selling profile!






- Mounting clips included
- ✓ End pieces included
- ✓ Up to 3m customizable lengths
- ✓ Easy installation
- ✓ 3 years warranty
- ✓ Easy install PMMA diffuser





Corner Profile



- Mounting clips included
- ✓ End pieces included
- ✓ Up to 3m customizable lengths
- ✓ Easy installation
- ✓ 3 years warranty
- ✓ Easy install PMMA diffuser
- ✓ Easy install in corners





- ✓ Mounting clips included
- ✓ End pieces included
- ✓ Up to 3m customizable lengths
- ✓ Easy installation
- ✓ 3 years warranty
- ✓ Easy install PMMA diffuser
- ✓ Easy install in corners



Aluminium Profiles

Step on Profile


PR034 27.1 27.1 Mounting clips included

- ✓ End pieces included
- ✓ Up to 3m customizable lengths
- ✓ Easy installation
- 3 years warranty
- ✓ Easy install PMMA diffuser
- ✓ This profile is IK rated!

Our profile is available in 2 & 3 metre lengths, with custom cutting options available. At Azoogi we specialize in made to measure strip and profiles for projects, big and small.

What ever you need, how ever you need it, we're here to help.

Bendable Profile



- ✓ Mounting clips included
- ✓ End pieces included
- ✓ Up to 3m customizable lengths
- ✓ Easy installation
- ✓ 3 years warranty
- ✓ Easy install PMMA diffuser
- A flexible bendable profile!





LED LIGHTING SPECIALISTS TRUSTED BY 500+ AUSTRALIAN LIGHTING STORES

We work on large scale projects, working with architects, lighting designers, local lighting manufacturers, landscaping designers, shop fitters and visual merchandisers.

Azoogi is proud to be the 2019 award winner at this years Lighting Council of Australia's National awards for Excellence in Lighting.







ADDRESS Unit 1, 61-71 Beauchamp Road Matraville 2036 NSW Australia

PHONE (02) 9337 2062 EMAIL sales@azoogi.com

www.azoogi.com.au